

Mate	rial: 291462	Hyper pure Silicon ingots < 1 % Arsenic	
Version: 1.5 (INTL-GHS)		Date of print: 21.11.2019	Date of last alteration: 20.11.2019
SEC	CTION 1: Identification of t	e substance/mixture and of the company/	undertaking
1.1	Product identifier		
	Commercial product name:	Hyper pure Silicon ingots < 1 %	% Arsenic
	CAS No.:	7440-21-3	
1.2	Relevant identified uses of the	substance or mixture and uses advised against	
	Use of substance / preparation: Industrial. Raw material for the production	f silicon products	
1.3	Details of the supplier of the s	fety data sheet	
	Manufacturer/distributor: Street/POB-No.: State/postal code/city: Telephone: Telefax:	Siltronic AG Johannes-Hess-Straße 24 D 84489 Burghausen +49 8677 83-3930 +49 8677 83-62171	
	Information about the Safety Da	a Sheet: Telephone Telefax eMail	+49 8677 83-4888 +49 8677 886-9722 WLCP-MSDS@wacker.com
1.4	Emergency telephone number		
	Emergency Information (Germ Emergency Information (intern Emergency Information: Emergency Information:		
	Emergency Information: Emergency Information: Emergency Information:	Chile Colombia East Asia and Southeast Asia Sri Lanka, Bangladesh and Pa	+56 2 2582 9336 +57 1 508 7337 except +65 3158 1074
	Emergency Information: Emergency Information: Emergency Information:	Sri Lanka Bangladesh Pakistan	+65 3158 1195 +65 3158 1200 +65 3158 1329

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 Label elements

No labeling according to GHS required.

2.3 Other hazards

Under certain conditions (see sec 10), the product can splitt off the gases arsine and hydrogen. Arsine shows strong toxic effects by inhalation and is also classified in terms of other physical hazards, health hazards and environmental hazards. Hydrogen is classified in terms of physical hazards.

SECTION 3: Composition/information on ingredients

3.1 Substances

3.1.1 Chemical characteristics

CAS No.: 7440-21-3



Material: 291462

Hyper pure Silicon ingots < 1 % Arsenic

Version: 1.5 (INTL-GHS)

Date of print: 21.11.2019

Date of last alteration: 20.11.2019

Silicon

3.1.2 Hazardous ingredients

This material does not contain any ingredients above the permitted limit(s).

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) in amounts above $\geq 0.1\%$.

3.2 Mixtures

not applicable

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

No special measures required.

After contact with the eyes:

Rinse immediately with plenty of water for 10-15 minutes and seek medical advice.

After contact with the skin:

No special measures required.

After inhalation:

In case of dust formation: Provide fresh air.

After swallowing:

No special measures required. In cases of sickness seek medical advice (show label if possible).

4.2 Most important symptoms and effects, both acute and delayed

Any relevant information can be found in other parts of this section.

4.3 Indication of any immediate medical attention and special treatment needed

Further toxicology information in section 11 must be observed.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Use extinguishing measures appropriate to the source of fire.

Extinguishing media which must not be used for safety reasons: not applicable

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: silicon dioxide .

5.3 Advice for firefighters

Special protective equipment for fire fighting: Use respiratory protection independent of recirculated air. Use tightly fitting chemical protection suit (see section 8).

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (see section 8).

6.2 Environmental precautions

Observe local/state/federal regulations.



Material: 291462

Hyper pure Silicon ingots < 1 % Arsenic

Version: 1.5 (INTL-GHS)

Date of print: 21.11.2019

Date of last alteration: 20.11.2019

6.3 Methods and material for containment and cleaning up

Take up mechanically and dispose of according to local/state/federal regulations.

6.4 Reference to other sections

Relevant information in other sections has to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Precautions for safe handling:

Keep container closed when not in use. Keep away from incompatible substances in accordance with section 10.

Precautions against fire and explosion: Observe the general rules for fire prevention. Product can separate hydrogen in contact with lyes.

7.2 Conditions for safe storage, including any incompatibilities

Conditions for storage rooms and vessels:

Observe local/state/federal regulations. Protect against moisture.

Advice for storage of incompatible materials: Keep away from alkalis. Avoid contact with acids.

Further information for storage: Protect against moisture.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

8.2.1 Exposure in the work place limited and controlled

General protection and hygiene measures:

Observe standard industrial hygiene practices for the handling of chemical substances. Avoid contact with eyes and skin. Do not eat, drink or smoke when handling. Wash hands at the end of work and before eating.

Personal protection equipment:

Respiratory protection

If inhalative exposure above the occupational exposure limit cannot be excluded, adequate respiratory protection equipment must be used. Suitable respiratory equipment: Respirator with a full face mask, according to acknowledged standards such as EN 136. Recommended Filter type: Combined filter type ABEK-P3 (certain inorganic, organic and acidic gases and vapors; ammonia/amines; particles), according to acknowledged standards such as EN 14387

Observe the equipment manufacturer's information and wear time limits for respirators.

Eye protection

In case of mechanical handling: tight fitting protective goggles .

Hand protection

Recommended glove types: Protective gloves, non-cuttable

Use of protective gloves is recommended when handling the material. For the choice of suitable gloves, workplace conditions have to be considered, like e.g. handling of other substances and materials.



Material: 291462

Hyper pure Silicon ingots < 1 % Arsenic

Version: 1.5 (INTL-GHS)

Date of print: 21.11.2019

Date of last alteration: 20.11.2019

8.2.2 Exposure to the environment limited and controlled

SECTION 9: Physical and chemical properties

9.1	Information on basic physical and chemical prop	erties	
	Property: Appearance	Value:	Method:
	Physical state	solid	
	Form		
	Colour	1	
	Odour		
	Odour	odourless	
	Odour limit	ododness	
	Odour limit:	no data available	
	pH-Value		
	pH-Value:	not applicable	
	Melting point/freezing point	not applicable	
	Melting point / melting range:	1410 °C	
	Initial boiling point and boiling range	1410 C	
	Boiling point / boiling range:	2255 °C	
	Flash point	2555 6	
	Flash point:	not applicable	
	Evaporation rate	not applicable	
	Evaporation rate	no data availabla	
	Upper/lower flammability or explosive limits		
		not applicable	
	Lower explosion limit (LEL): Upper explosion limit (UEL):		
	Vapour pressure	not applicable	
		not applicable	
	Vapour pressure: Solubility(ies)	not applicable	
		virtually incoluble	
	Water solubility / miscibility		
	Vapour density	No data known	
	Relative gas/vapour density	No dala known.	
	Relative Density	9.99	
	Relative Density		
		(Water / 4 °C = 1,00)	
	Density	ca. 2,32 g/cm ³	
	Partition coefficient: n-octanol/water	N 171	
	Partition coefficient: n-octanol/water	No data known.	
	Auto-ignition temperature		
	Ignition temperature	not applicable	
	Viscosity		
	Viscosity (dynamic)		
	Viscosity (kinematic)	not applicable	
	Molecular mass		
	Molecular mass	no data avallable	
9.2	Other information		
	No data available.		

SECTION 10: Stability and reactivity

10.1 – 10.3 Reactivity; Chemical stability; Possibility of hazardous reactions

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.



Material: 291462 Version: 1.5 (INTL-GHS)		Hyper pure Silicon ingots < 1 % Arsenic			
		Date of print: 21.11.2019	Date of last alteration: 20.11.2019		
	Relevant information can p	ossibly be found in other parts of this section.			
10.4	Conditions to avoid				
	moisture				
10.5	Incompatible materials				
	water , lyes , acids . Reaction causes the formation of: Arsine , hydrogen .				
10.6	Hazardous decomposition products				
	If stored and handled properly: none known . Upon contact with the substances mentioned in 10. Arsine , hydrogen .				
SEC	TION 11: Toxicologica	al information			
11.1	Information on toxicolog	cal effects			
11.1.1	General information				
Data derived for the product as a whole are of higher priority than data for single ingredients.		edients.			
11.1.2	2 Acute toxicity				
	Assessment:				
For this endpoint no toxicological test data is available for the whole product.					

Data on substances:

silicon:

Route of expo	osure Result/Effect	Species/Test system	Source
Oral	LD50: > 5000 mg/kg	Rat	literature (read- across substance)
dermal	LD50: > 5000 mg/kg	Rabbit	literature (read- across substance)

11.1.3 Skin corrosion/irritation

Assessment:

For this endpoint no toxicological test data is available for the whole product.

Data on substances:

silicon:

Result/Effect	Species/Test system	Source
not irritating	Rabbit	literature (read-
		across substance)

11.1.4 Serious eye damage / eye irritation

Assessment:

For this endpoint no toxicological test data is available for the whole product.

Data on substances:

silicon:

Result/Effect	Species/Test system	Source
not irritating	Rabbit	literature (read-
		across substance)

11.1.5 Respiratory or skin sensitization

Assessment:

For this endpoint no toxicological test data is available for the whole product.

siltronic perfect silicon solutions

Safety Data Sheet

Material: 291462

Hyper pure Silicon ingots < 1 % Arsenic

Version: 1.5 (INTL-GHS)

Date of print: 21.11.2019

Date of last alteration: 20.11.2019

Data on substances:

silicon:

During several years of handling this material, there were no indications of a skin-sensitizing potential.

11.1.6 Germ cell mutagenicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

Data on substances:

silicon:

Based on known data a significant mutagenic potential may be excluded.

11.1.7 Carcinogenicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

Data on substances:

silicon:

No data known.

11.1.8 Reproductive toxicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

Data on substances

silicon:

On the basis of the available data no reproductive hazards are expected. The evaluation is in analogy to a tested product.

11.1.9 Specific target organ toxicity (single exposure)

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.10 Specific target organ toxicity (repeated exposure)

Assessment:

For this endpoint no toxicological test data is available for the whole product.

Data on substances:

silicon:

No systemic toxicity.

Result/Effect	Species/Test system	Source
NOAEL: 4000 - 5000 mg/kg	Subchronic study	literature (read-
	rat	across substance)
	oral	

11.1.11 Aspiration hazard

Assessment:

Based on the physical-chemical properties of the product no aspiration hazard must be expected.



Material: 291462

Hyper pure Silicon ingots < 1 % Arsenic

Version: 1.5 (INTL-GHS)

Date of print: 21.11.2019

Date of last alteration: 20.11.2019

SECTION 12: Ecological information

12.1 Toxicity

Assessment:

For the product as a whole, no test data is available. Evaluation on basis of physical-chemical properties: No expected damaging effects to aquatic organisms.

Data on substances:

Data derived for the product as a whole are of higher priority than data for single ingredients.

silicon:

No expected damaging effects to aquatic organisms.

12.2 Persistence and degradability

Assessment:

For the product as a whole, no test data is available.

Data on substances:

silicon:

Separation by sedimentation.

12.3 Bioaccumulative potential

Assessment:

No data known.

12.4 Mobility in soil

Assessment:

For the product as a whole, no test data is available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

none known

SECTION 13: Disposal considerations

13.1 Waste treatment methods

13.1.1 Material

Recommendation: Observe local/state/federal regulations.

13.1.2 Uncleaned packaging

Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Empty containers should be sent to an approved recycling facility.

SECTION 14: Transport information

14.1 – 14.4 UN number; UN proper shipping name; Transport hazard class(es); Packing group

Road ADR:

Valuation Not regulated for transport



Mate	ial: 291462	Hyper pure Silicon ingots < 1 % Arsenic		
Versio	on: 1.5 (INTL-GHS)	Date of print: 21.11.2019	Date of last alteration: 20.11.2019	
	Railway RID: Valuation	Not regulated for transport		
	Transport by sea IMDG-Co Valuation	de: Not regulated for transport		
	Air transport ICAO-TI/IATA Valuation	-DGR: Not regulated for transport		
14.5	Environmental hazards			
	Hazardous to the environment	nt: no		
14.6	Special precautions for use	er		
	Relevant information in other	sections has to be considered.		
14.7	Transport in bulk according	g to Annex II of MARPOL and the IBC Code		
	Bulk transport in tankers is no	ot intended.		
SEC	TION 15: Regulatory inf	formation		
15.1	Safety, health and environr	nental regulations/legislation specific for the substan	nce or mixture	
	National and local regulation	s must be observed.		
	For information on labelling p	lease refer to section 2 of this document.		
15.2	Details of international registration status			
	Relevant information about individual substance inventories, where available, is given below.			
	Japan	ENCS (Handbook of Existing and New 9		
	Australia	This product is listed in, or complies with AICS (Australian Inventory of Chemical This product is listed in, or complies with	Substances):	
		IECSC (Inventory of Existing Chemical This product is listed in, or complies with	Substances in China):	
	Canada	DSL (Domestic Substance List):		
	Philippines	This product is listed in, or complies with PICCS (Philippine Inventory of Chemica This product is listed in, or complies with	als and Chemical Substances):	
	United States of America (US	SA): TSCA (Toxic Substance Control Act Ch All components of this product are listed	nemical Substance Inventory): d as active or are in compliance with the	
	European Economic Area (E	substance inventory. EA): REACH (Regulation (EC) No 1907/2006 REACH registration number: 01-211948		
	South Korea (Republic of Ko	General note: the registration obligation manufactured within the EEA by the sup the said supplier. The registration obliga by customers or other downstream user AREC (Act on Registration and Evaluat General note: in case of registration obl imported into Korea or manufactured wi mentioned in section 1. The registration	is for substances imported into the EEA or pplier mentioned in section 1 are fulfilled by ations for substances imported into the EEA rs must be fulfilled by the latter. tion of Chemicals; "K-REACH"): ligations for substances or polymers ithin Korea these are fulfilled by the supplier	



Material: 291462

Hyper pure Silicon ingots < 1 % Arsenic

Version: 1.5 (INTL-GHS)

Date of print: 21.11.2019

Date of last alteration: 20.11.2019

SECTION 16: Other information

16.1 Material

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements.

The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

16.2 Further information:

Commas appearing in numerical data denote a decimal point. Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.

- End of Safety Data Sheet -